


What is Claimed is:

1. A compound which has the structure



5

wherein x is 1, 2, 3 or 4; m is 1 or 2; n is 1 or 2;

Q is C or N;

A is O or S;

Z is O or a bond;

10  $R^1$  is H or lower alkyl;

X is CH or N;

$R^2$  is H, alkyl, alkoxy, halogen, amino or substituted amino;

15  $R^{2a}$ ,  $R^{2b}$  and  $R^{2c}$  are the same or different and are selected from H, alkyl, alkoxy, halogen, amino or substituted amino;

$R^3$  is H, alkyl, arylalkyl, aryloxy, alkyloxy, alkenyloxy, alkynyloxy, aryl, heteroaryl, alkyl(halo)aryloxy, cycloalkylaryloxy, cycloalkyloxy, cycloheteroalkyl, heteroaryl, heteroarylalkyl, alkylcarbonyl, arylcarbonyl, heteroarylcarbonyl, heteroarylalkyl, alkylsulfonyl, alkenylsulfonyl, heteroaryloxy, cycloheteroalkyloxy, aminocarbonyl, substituted aminocarbonyl, alkylaminocarbonyl, arylaminocarbonyl, heteroarylalkenyl, cycloheteroalkylheteroarylalkyl, hydroxyalkyl, alkoxy, alkoxyaryloxy, arylalkyloxy, alkylaryloxy, arylheteroarylalkyl, arylalkylaryloxy, aryloxyaryloxy, alkynyloxy,

20  
25  
30


haloalkoxyaryloxy carbonyl, alkoxy carbonylaryloxy carbonyl,  
 aryloxyaryloxy carbonyl, arylsulfinylaryl carbonyl,  
 arylthioaryl carbonyl, alkoxy carbonylaryloxy carbonyl,  
 arylalkenyloxy carbonyl, heteroaryloxyarylalkyl,  
 5 aryloxyaryl carbonyl, aryloxyarylalkyloxy carbonyl,  
 arylalkenyloxy carbonyl, arylalkyl carbonyl,  
 aryloxyalkyloxy carbonyl arylalkylsulfonyl,  
 arylthiocarbonyl, arylalkenylsulfonyl,  
 heteroarylsulfonyl, arylsulfonyl, alkoxyarylalkyl,  
 10 heteroarylalkoxy carbonyl, arylheteroarylalkyl,  
 alkoxyaryl carbonyl, aryloxyheteroarylalkyl,  
 heteroarylalkyloxyarylalkyl, arylarylalkyl,  
 arylalkenylarylalkyl, arylalkoxyarylalkyl,  
 arylcarbonylarylalkyl, alkylaryloxyarylalkyl,  
 15 arylalkoxy carbonyl heteroarylalkyl, heteroarylarylalkyl,  
 arylcarbonyl heteroarylalkyl, heteroaryloxyarylalkyl,  
 arylalkenyl heteroarylalkyl, arylaminoarylalkyl or  
 aminocarbonylarylalkyl;

Y is  $\text{CO}_2\text{R}^4$  (where  $\text{R}^4$  is H or alkyl, or a prodrug  
 20 ester) or Y is a C-linked 1-tetrazole, a phosphinic acid  
 of the structure  $\text{P}(\text{O})(\text{OR}^{4a})\text{R}^5$ , (where  $\text{R}^{4a}$  is H or a prodrug  
 ester,  $\text{R}^5$  is alkyl or aryl) or a phosphonic acid of the  
 structure  $\text{P}(\text{O})(\text{OR}^{4a})_2$ , (where  $\text{R}^{4a}$  is H or a prodrug ester);


including all stereoisomers thereof, prodrug  
 25 esters thereof, and pharmaceutically acceptable salts  
 thereof, with the proviso that where X is CH, A is O, Q  
 is C, Z is O and Y is  $\text{CO}_2\text{R}^4$ , then  $\text{R}^3$  is other than H or  
 alkyl containing 1 to 5 carbons in the normal chain.

30


2. A compound having the structure




or




3. The compound as defined in Claim 1 having the structure



4. The compound as defined in Claim 1 having structure



or




5. The compound as defined in Claim 1 wherein  $(CH_2)_x$  is alkylene, alkenylene, allenyl, or alkynylene.

6. The compound as defined in Claim 4 wherein X is CH.


7. The compound as defined in Claim 4 wherein X is N.

8. The compound as defined in Claim 1 having the structure



wherein  $R^1$  is alkyl,  $R^{3b}$  is arylalkylamino, aryl-  
 5 arylamino, arylamino, alkoxyarylamino, dialkoxyarylamino, dihaloarylamino or alkylthioarylamino.

9. The compound as defined in Claim 1 having the structure



10

10. The compound as defined in Claim 1 wherein  $R^{2a}$  is alkoxy or H,

$(CH_2)_x$  is  $CH_2$ ,  $(CH_2)_2$ ,  $(CH_2)_3$ , or  $\begin{array}{c} CH_3 \quad CH_3 \\ \diagdown \quad / \\ C \\ \diagup \quad \diagdown \end{array}$ ,  $(CH_2)_m$  is  $CH_2$ , or

15  $\begin{array}{c} R_a \\ | \\ -CH- \end{array}$  (where  $R_a$  is alkyl or alkenyl),  $(CH_2)_n$  is  $CH_2$ ,  $R^1$  is lower alkyl, preferably  $-CH_3$ ,  $R^2$  is H,  $R^{2a}$  is H,  $R^4$  is H, X is CH, and  $R^3$  is arylalkyloxycarbonyl, arylheteroarylalkyl, aryloxyarylalkyl, arylalkyl, aryloxycarbonyl, haloaryl-oxycarbonyl,  
 20 alkoxyaryloxycarbonyl, alkylaryloxycarbonyl, aryloxyaryloxycarbonyl, heteroaryloxyarylalkyl, heteroaryloxycarbonyl, aryloxyarylcarbonyl, arylalkenyloxycarbonyl, cycloalkylaryloxycarbonyl, arylalkylarylcarbonyl, heteroaryl-heteroarylalkyl,  
 25 cycloalkyloxyaryloxycarbonyl, heteroaryl-heteroarylcarbonyl, alkyloxyaryloxycarbonyl, arylalkylsulfonyl, arylalkenylsulfonyl, alkoxyarylalkyl, arylthiocarbonyl, cycloheteroalkylalkyloxycarbonyl, cycloheteroalkyloxycarbonyl, or polyhaloalkylaryloxy-  
 30 carbonyl, which may be optionally substituted.


11. The compound as defined in Claim 5 wherein X is CH.

5 12. The compound as defined in Claim 5 wherein X is N.


13. The compound as defined in Claim 1 wherein x is 2, m is 1, and n is 1.

10

14. The compound as defined in Claim 1 having the structure




or




15

15. The compound as defined in Claim 1 having the structure





or



where  $(CH_2)_n$  is  $CH_2$  or  $\begin{array}{c} CH_3 \\ | \\ -CH- \end{array}$ .


16. The compound as defined in Claim 1 having the structure







5



Sub  
A5  
Cont.



10




15










5

10


15






5

10






15





5



10




15






Sub  
A5  
cont.

15




Sub  
A5  
cont.

5




, where  $R^{3d} =$

10




15



Sub  
A5  
Cont.

10

15





5

[illegible]


15

5




Sub  
A5  
cont.


5



10


where R<sup>3e</sup> =


15




5






10








5



15



where  $R^{3g} =$

5

10


15




5

10


15









5



10













where  $R^{3h} =$




15

Sub  
A5  
cont.




10


Sub  
As  
Cont.










**(racemate)**











where  $R^a = (\pm)\text{-Me}$  ,  $(\pm)\text{ n-Bu}$  ,













where  $R^a = (\pm) Et, (\pm) i-Bu,$











10






Sub  
As  
cont.

5







10







5















10















5




10















































5

17. The compound as defined in Claim 1 having the structure

CC1=C(C2=CC=CC=C2O1)N(C2=CC=CC=C2)C2=CC=CC=C2


Cc1c(Rh)oc2c1ncc2CCOc3ccc(cc3)CN(Cc4ccc(cc4)Oc5csc5)C(=O)O

CC1=C(COC2=CC=C(C=C2)CN(CS(=O)(=O)CC3=CC=CC=C3)CC(=O)O)N(C4=CC=CC=C4)C5=CC=CC=C5













Sus  
AS  
cont.


Sub  
AS  
cont



Sub  
A<sup>5</sup>  
cont.













5














Sub  
AS  
cont.





CC1=C(C(=N1)C2=CC=CC=C2)CCCC3=CC=C(C=C3)CN(C(=O)OC4=CC=C(OC)C=C4)CC(=O)OCc1c(C2=CC=CC=C2N2C(=O)N(C2)C(=O)OC3=CC=CC=C3C(=O)O)oc4ccccc41CC1=C(C2=CC=CC=C2O1)N(C3=CC=CC=C3)C4=CC=CC=C4OCCN(C5=CC=CC=C5OC(=O)O)Cc6ccc(Oc7ccccc7)cc6














5



10


















5

10

Sub  
A6  
Cont.









5








The image displays 12 chemical structures of various organic compounds, arranged in two columns. A diagonal line is drawn across the middle of the page, crossing out the six structures on the left side. The structures are as follows:

- Top Left (crossed out):** A molecule featuring a 4-ethoxyphenyl group connected via an ester linkage to a 4-(2-(4-methyl-5-phenyl-1,3,4-oxadiazol-2-yl)ethoxy)phenyl group, which is further connected via an amide linkage to a 2-(carboxymethyl)ethyl group.
- Top Right:** A molecule featuring a 4-(2-(4-methyl-5-phenyl-1,3,4-oxadiazol-2-yl)ethoxy)phenyl group connected via an ester linkage to a 4-(2-(carboxymethyl)ethyl)phenyl group, which is further connected via an amide linkage to a 2-(4-(trifluoromethyl)phenoxy)ethyl group.
- Middle Left (crossed out):** A molecule featuring a 4-(2-(4-methyl-5-phenyl-1,3,4-oxadiazol-2-yl)ethoxy)phenyl group connected via an ester linkage to a 4-(2-(carboxymethyl)ethyl)phenyl group, which is further connected via an amide linkage to a 2-(4-fluorophenoxy)ethyl group.
- Middle Right:** A molecule featuring a 4-(2-(4-methyl-5-phenyl-1,3,4-oxadiazol-2-yl)ethoxy)phenyl group connected via an ester linkage to a 4-(2-(carboxymethyl)ethyl)phenyl group, which is further connected via an amide linkage to a 2-(4-chlorophenoxy)ethyl group.
- Below Middle Left (crossed out):** A molecule featuring a 4-(2-(4-methyl-5-phenyl-1,3,4-oxadiazol-2-yl)ethoxy)phenyl group connected via an ester linkage to a 4-(2-(carboxymethyl)ethyl)phenyl group, which is further connected via an amide linkage to a 2-(4-(trifluoromethoxy)phenoxy)ethyl group.
- Below Middle Right:** A molecule featuring a 4-(2-(4-methyl-5-phenyl-1,3,4-oxadiazol-2-yl)ethoxy)phenyl group connected via an ester linkage to a 4-(2-(carboxymethyl)ethyl)phenyl group, which is further connected via an amide linkage to a 2-(4-chlorophenoxy)ethyl group.
- Bottom Left (crossed out):** A molecule featuring a 4-(2-(4-methyl-5-phenyl-1,3,4-oxadiazol-2-yl)ethoxy)phenyl group connected via an ester linkage to a 4-(2-(carboxymethyl)ethyl)phenyl group, which is further connected via an amide linkage to a 2-(4-methoxyphenoxy)ethyl group.
- Bottom Right:** A molecule featuring a 4-(2-(4-methyl-5-phenyl-1,3,4-oxadiazol-2-yl)ethoxy)phenyl group connected via an ester linkage to a 4-(2-(carboxymethyl)ethyl)phenyl group, which is further connected via an amide linkage to a 2-(4-methoxyphenoxy)ethyl group.













5













10





















Sub  
Ab  
cont.






5









5







- 5



- structure




- structure



25. The compound as defined in Claim 1 having the structure



26. The compound as defined in Claim 1 having the structure



Sub  
A7


Sub  
A7



5



10



15



Sub  
A8  
Cont.

Cc1ccc(Oc2c(=O)nc3ccccc3n2)cc1CCN(CCC(=O)O)Cc4ccc(OCc5c(C)c(Oc6ccc(C)cc6)c7ccccc7n5)cc4

15

Sub  
A9

25

- 379 -



5

10

15

20

30

35

inhibitor, a thyroid receptor agonist, an  $\alpha 2$  inhibitor and/or an anorectic agent.

43. The combination as defined in Claim 42 wherein  
5 the anti-obesity agent is orlistat, ATL-962, AJ9677, L750355, CP331648, sibutramine, topiramate, axokine, dexamphetamine, phentermine, phenylpropanolamine, and/or mazindol.

10 44. The combination as defined in Claim 37 wherein the lipid lowering agent is an MTP inhibitor, an HMG CoA reductase inhibitor, a squalene synthetase inhibitor, a fibric acid derivative, an upregulator of LDL receptor activity, a lipoxygenase inhibitor, or an ACAT inhibitor.

15 45. The combination as defined in Claim 44 wherein the lipid lowering agent is pravastatin, lovastatin, simvastatin, atorvastatin, cerivastatin, fluvastatin, itavastatin, visastatin, fenofibrate, gemfibrozil,  
20 clofibrate, avasimibe, TS-962, MD-700, cholestagel, niacin and/or LY295427.

46. The combination as defined in Claim 44 wherein  
25 the compound is present in a weight ratio to the lipid-lowering agent within the range from about 0.001:1 to about 100:1.

47. The combination as defined in Claim 37 wherein  
30 the antihypertensive agent is an ACE inhibitor, angiotensin II receptor antagonist, NEP/ACE inhibitor, calcium channel blocker and/or  $\beta$ -adrenergic blocker.

48. The combination as defined in Claim 47 wherein  
35 the antihypertensive agent is an ACE inhibitor which is captopril, fosinopril, enalapril, lisinopril, quinapril, benazepril, fentiapril, ramipril or moexipril; an NEP/ACE inhibitor which is omapatrilat,  $[S[(R^*, R^*)]]$ -hexahydro-6-

[(2-mercapto-1-oxo-3-phenylpropyl)amino]-2,2-dimethyl-7-oxo-1H-azepine-1-acetic acid (gemopatrilat) or CGS 30440; an angiotensin II receptor antagonist which is irbesartan, losartan or valsartan;

5 amlodipine besylate, prazosin HCl, verapamil, nifedipine, nadolol, propranolol, carvedilol, or clonidine HCl.

10 49. The combination as defined in Claim 37 wherein the platelet aggregation inhibitor is aspirin, clopidogrel, ticlopidine, dipyridamole or ifetroban.

Sub A12 15 50. A method for treating insulin resistance, hyperglycemia, hyperinsulinemia, or elevated blood levels of free fatty acids or glycerol, hyperlipidemia, obesity, Syndrome X, dysmetabolic syndrome, inflammation, diabetic complications, impaired glucose homeostasis, impaired glucose tolerance, hypertriglyceridemia or atherosclerosis which comprises administering to a 20 mammalian species in need of treatment a therapeutically effective amount of a pharmaceutical combination as defined in Claim 43.

25 51. A method for treating irritable bowel syndrome, Crohn's disease, gastric ulceritis or osteoporosis, or psoriasis, which comprises administering to a mammalian species in need of treatment a therapeutically effective amount of a compound as defined in Claim 1.

30 52. The method as defined in Claim 36 wherein the disease is a liposarcoma or an epithelial tumor.

35 53. The method as defined in Claim 52 wherein the epithelial tumor is a tumor of the breast, prostate, colon, ovaries, stomach or lung.

54. The method as defined in Claim 36 wherein the disease is ductal carcinoma in situ of the breast, lobular carcinoma in situ of the breast, fibroadenoma of the breast, or prostatic intraepithelial neoplasia.

5

add  
A13  
add E2